

Certification

ASC certification

According to the standard's requirements, we will on these pages publish information to interested parties (stakeholders).

Information concerning all certified production sites in Norway Royal Salmon ASA

Requirement 2.5.5

2.5.5 Lethal incidents on ASC certified sites the last two years (birds and marine mammals)				
Site	Date	Species	Numbers	Reason
Store Kobbøy	23.08.2021	Sea gull (<i>Larinae</i>)	1	Heavy injured in bird net
Fartøyvika	20.09.2022	Sea gull (<i>Larinae</i>)	1	Heavy injured in bird net
Brensholmen	05.01.2021	Cormorant (Phalacrocoracidae)	1	Injured in bird net
Korsnes	16.08.2022	Sea gull (<i>Larinae</i>)	1	Heavy injured in bird net
Store Kufjord	03.05.2021	Sea gull (<i>Larinae</i>)	1	Heavy injured in bird net
	08.05.2021	Sea gull (<i>Larinae</i>)	1	Heavy injured in bird net
	08.06.2021	Sea gull (<i>Larinae</i>)	1	Heavy injured in bird net
	10.06.2021	Sea gull (<i>Larinae</i>)	1	Heavy injured in bird net

Fartøyvika

Requirement 2.5.6

No lethal incidents of endangered, threatened or red listed marine mammals or birds.

Requirements 3.1.4 d, e and 3.1.7

Numbers of lice are measured every week according to governmental requirements and lice levels are below the threshold levels set by the FSA (Mattilsynet). The sea lice levels at the location can be followed, week by week, at the net site www.barentswatch.no.

Requirement 3.1.6

Within a radius of 50 km from the location, there are salmonids in the following rivers: Snefjordelva and Hamnelva in Måsøy municipality, Russelvassdraget, Kvalsundvassdraget and Repparfjordelva/ Skaidivassdraget in Kvalsund municipality and Strandelvassdraget in Nordkapp municipality.

Norwegian authorities at IMR have not yet published specific counts of lice on fish in the waters of these rivers/waterways.

Requirement 3.4.3 c

EUL value for previous production cycles were:

Estimated Unexplained Loss (EUL) in finished produced generations - Fartøyvika						
Location	Stocking count	Harvest count	Mortalities	Recorded escapes	EUL #	EUL %
Fartøyvika 15G	1 353 927	1 182 991	214 950	0	44 014	3,5
Fartøyvika 17G	1 360 108	1 210 279	118 316	0	31 513	2,32
Fartøyvika 19G	1 350 743	765 286	394 433	0	191 034	14,14

Requirements 5.4.2 and 5.4.4

There is no notifiable disease detected at this location.

Petternes

Requirement 2.5.6

No lethal incidents of endangered, threatened, or red listed marine mammals or birds.

Requirements 3.1.4 d, e and 3.1.7

Numbers of lice are measured every week according to governmental requirements and lice levels are below the threshold levels set by the FSA (Mattilsynet). The sea lice levels at the location can be followed, week by week, at the net site www.barentswatch.no.

Requirement 3.1.6

Within a radius of 50 km from the location, there are salmonids in the following rivers: Snefjordelva and Hamnelva in Måsøy municipality, Russelvvassdraget, Kvalsundvassdraget and Repparfjordelva/ Skaidivassdraget in Kvalsund municipality and Strandelvvassdraget in Nordkapp municipality.

Norwegian authorities at IMR have not yet published specific counts of lice on fish in the waters of these rivers/waterways.

Requirement 3.4.3 c

EUL value for previous production cycles were:

Estimated Unexplained Loss (EUL) in recent produced generations - Petternes						
Location	Stocking count	Harvest count	Lost	Recorded escapes	EUL #	EUL %
Petternes 17G	Production terminated due to fish welfare causes					
Petternes 19G	1 107 713	597 913	515 413	0	5 613	0,51
Petternes 21G	1 285 297					

Production cycle 17G was decided terminated i 2018 due to fish welfare causes. The decision was taken together with the Norwegian Food Safety Authority and the veterinary.

Requirements 5.4.2 and 5.4.4

There is no notifiable disease detected at this location.

Mortensnes

Requirements 2.5.5 and 2.5.6

No lethal incidents of marine mammals or birds.

Requirements 3.1.4 d, e and 3.1.7

Numbers of lice are measured every week according to governmental requirements and lice levels are below the threshold levels set by the FSA (Mattilsynet). The sea lice levels at the location can be followed, week by week, at the net site www.barentswatch.no.

Requirement 3.1.6

Within a radius of 50 km from the location, there are salmonids in the following rivers: Russelvvassdraget, Kvalsundvassdraget and Repparfjordelva/Skaidivassdraget in Kvalsund municipality, Skillefjordelva, Lakseelva (Kviby), Transfarelva, Tverrelva, Altaelva, Eibyelva, Mathiselva, Botnelva and Halselva i Alta municipality and Sandlandselva, Nuvsfjordelva, Sør-Tverrfjordelva og Jomfrudalselva i Loppa municipality.

Norwegian authorities at IMR have not yet published specific counts of lice on fish in the waters of these rivers/waterways.

Requirement 3.4.3 c

EUL values for the last production cycles were:

Estimated Unexplained Loss (EUL) in recent produced generations - Mortensnes						
Location	Stocking count	Harvest count	Lost	Recorded escapes	EUL #	EUL %
Mortensnes 14G	1 109 054	1 018 368	118 037	0	27 351	2,47
Mortensnes 17G	1 028 433	966 297	63601	0	1 465	0
Mortensnes 19G	1 138 170	1 089 370	48069	0	731	0

Requirements 5.4.2 and 5.4.4

There is no notifiable disease detected at this location.

Lille Kvalfjord

Requirements 2.5.5 and 2.5.6

No lethal incidents of marine mammals or birds.

Requirements 3.1.4 d, e and 3.1.7

Numbers of lice are measured every week according to governmental requirements and lice levels are below the threshold levels set by the FSA (Mattilsynet). The sea lice levels at the location can be followed, week by week, at the net site www.barentswatch.no.

Requirement 3.1.6

Within a radius of 50 km from the location, there are salmonids in the following rivers: Russelvassdraget, Kvalsundvassdraget and Repparfjordelva/Skaidivassdraget in Kvalsund municipality, Skillefjordelva, Lakseelva (Kviby), Transfarelva, Tverrelva, Altaelva, Eibyelva, Mathiselva, Botnelva and Halselva i Alta municipality and Sandlandselva, Nuvsfjordelva, Sør-Tverrfjordelva og Jomfrudalselva i Loppa municipality.

Norwegian authorities at IMR have not yet published specific counts of lice on fish in the waters of these rivers/waterways.

Requirement 3.4.3 c

EUL values for previous production cycles were:

Estimated Unexplained Loss (EUL) in recent produced generations - Lille Kvalfjord						
Location	Stocking count	Harvest count	Lost	Recorded escapes	EUL #	EUL %
Lille Kvalfjord 11G	1 456 485	961 583	614 378	0	-119 476	-8,2
Lille Kvalfjord 14G	747 646	673 745	86 311	0	12 410	1,66
Lille Kvalfjord 20G	795 349	716 097	78 231	0	1 021	0,13

Requirements 5.4.2 and 5.4.4

There is no notifiable disease detected at this location.

Store Kvalfjord

Requirements 2.5.5 and 2.5.6

No lethal incidents of marine mammals or birds.

Requirements 3.1.4 d, e and 3.1.7

Numbers of lice are measured every week according to governmental requirements and lice levels are below the threshold levels set by the FSA (Mattilsynet). The sea lice levels at the location can be followed, week by week, at the net site www.barentswatch.no.

Requirement 3.1.6

Within a radius of 50 km from the location, there are salmonids in the following rivers: Russelvassdraget, Kvalsundvassdraget and Repparfjordelva/Skaidivassdraget in Kvalsund municipality, Skillefjordelva, Lakseelva (Kviby), Transfarelva, Tverrelva, Altaelva, Eibyelva, Mathiselva, Botnelva and Halselva i Alta municipality and Sandlandselva, Nuvsfjordelva, Sør-Tverrfjordelva og Jomfrudalselva i Loppa municipality.

Norwegian authorities at IMR have not yet published specific counts of lice on fish in the waters of these rivers/waterways.

Requirement 3.4.3 c

EUL values for previous production cycles were:

Estimated Unexplained Loss (EUL) i ferdigproduserte generasjoner - Store Kvalfjord						
Location	Stocking count	Harvest count	Lost	Recorded escapes	EUL #	EUL %
Store Kvalfjord 16G	573 933	264 853	315 678	0	6 588	1,15
Store Kvalfjord 18G	386 154	300 137	40 375	0	45 642	11,20
Store Kvalfjord 20G	716 097					

Requirements 5.4.2 and 5.4.4

There is no notifiable disease detected at this location.

Klubben

Requirements 2.5.5 and 2.5.6

No lethal incidents of marine mammals or birds.

Requirements 3.1.4 d, e and 3.1.7

Numbers of lice are measured every week according to governmental requirements and lice levels are below the threshold levels set by the FSA (Mattilsynet). The sea lice levels at the location can be followed, week by week, at the net site www.barentswatch.no.

Requirement 3.1.6

Within a radius of 50 km from the location, there are salmonids in the following rivers: Kvalsundvassdraget in Kvalsund municipality, Skillefjordelva, Lakseelva (Kviby), Botnelva, Bognelva and Halselva in Alta municipality and Sandlandselva, Nuvsfjordelva, Sør-Tverrfjordelva and Jomfrudalselva in Loppa municipality.

Norwegian authorities at IMR have not yet published specific counts of lice on fish in the waters of these rivers/waterways.

Requirement 3.4.3 c

EUL (Estimated Unexplained Loss) value for previous production cycles were:

Estimated Unexplained Loss (EUL) in earlier produced generations - Klubben						
Location	Stocking count	Harvest count	Lost	Recorded escapes	EUL #	EUL %
Klubben 17G	1 339 580	1 104 106	220 475	0	14 999	1,12
Klubben 19G	1 078 943	976 644	66 265	0	36 034	3,34
Klubben 21G	800 639					

Requirements 5.4.2 and 5.4.4

The site is within an ISA controlled zone.

Næringsbukta

Requirements 2.5.5 and 2.5.6

No lethal incidents of marine mammals or birds.

Requirements 3.1.4 d, e and 3.1.7

Numbers of lice are measured every week according to governmental requirements and lice levels are below the threshold levels set by the FSA (Mattilsynet). The sea lice levels at the location can be followed, week by week, at the net site www.barentswatch.no.

Requirement 3.1.6

Within a radius of 50 km from the location, there are salmonids in the following rivers: Kvalsundvassdraget in Kvalsund municipality, Skillefjordelva, Lakseelva (Kviby), Botnelva, Bognelva and Halselva in Alta municipality and Sandlandselva, Nuvsfjordelva, Sør-Tverrfjordelva and Jomfrudalselva in Loppa municipality.

Norwegian authorities at IMR have not yet published specific counts of lice on fish in the waters of these rivers/waterways.

Requirement 3.4.3 c

EUL (Estimated Unexplained Loss) value for earlier production cycles were:

Estimated Unexplained Loss (EUL) in earlier produced generations - Næringsbukta						
Location	Stocking count	Harvest count	Lost	Recorded escapes	EUL #	EUL %
Næringsbukta 17G	765 056	699 342	45 234	0	20 480	2,68
Næringsbukta 19G	901 321	772 134	106 307	0	22 880	2,54
Næringsbukta 21G	948 686					

Requirements 5.4.2 and 5.4.4

The site is within an ISA controlled zone.

Lille Kufjord

Requirements 2.5.5 and 2.5.6

No lethal incidents of marine mammals or birds.

Requirements 3.1.4 d, e and 3.1.7

Numbers of lice are measured every week according to governmental requirements and lice levels are below the threshold levels set by the FSA (Mattilsynet). The sea lice levels at the location can be followed, week by week, at the net site www.barentswatch.no.

Requirement 3.1.6

Within a radius of 50 km from the location, there are salmonids in the following rivers: Russelvassdraget, Kvalsundvassdraget and Repparfjordelva/Skaidivassdraget in Kvalsund municipality, Skillefjordelva, Lakseelva (Kviby), Transfarelva, Tverrelva, Altaelva, Eibyelva, Mathiselva, Botnelva and Halselva i Alta municipality and Sandlandselva, Nuvsfjordelva, Sør-Tverrfjordelva og Jomfrudalselva i Loppa municipality.

Norwegian authorities at IMR have not yet published specific counts of lice on fish in the waters of these rivers/waterways.

Requirement 3.4.3 c

EUL values for previous production cycles were:

Estimated Unexplained Loss (EUL) in recent produced generations -Lille Kufjord						
Location	Stocking count	Harvest count	Lost	Recorded escapes	EUL #	EUL %
Lille Kufjord 15G	1 031 648	736 733	243 382	0	-51 533	5,00
Lille Kufjord 18G	646 255	551 279	67 094	0	27 882	4,31
Lille Kufjord 20G	725 328	613 835	365	0	12 129	1,67

Requirements 5.4.2 and 5.4.4

There is no notifiable disease detected at this location.

Store Kufjord

Requirements 2.5.5 and 2.5.6

No lethal incidents of marine mammals or birds.

Requirements 3.1.4 d, e and 3.1.7

Numbers of lice are measured every week according to governmental requirements and lice levels are below the threshold levels set by the FSA (Mattilsynet). The sea lice levels at the location can be followed, week by week, at the net site www.barentswatch.no.

Requirement 3.1.6

Within a radius of 50 km from the location, there are salmonids in the following rivers: Russelvassdraget, Kvalsundvassdraget and Repparfjordelva/Skaidivassdraget in Kvalsund municipality, Skillefjordelva, Lakseelva (Kviby), Transfarelva, Tverrelva, Altaelva, Eibyelva, Mathiselva, Botnelva and Halselva i Alta municipality and Sandlandselva, Nuvsfjordelva, Sør-Tverrfjordelva og Jomfrudalselva i Loppa municipality.

Norwegian authorities at IMR have not yet published specific counts of lice on fish in the waters of these rivers/waterways.

Requirement 3.4.3 c

EUL values for previous production cycles were:

Estimated Unexplained Loss (EUL) in recent produced generations - Store Kufjord						
Location	Stocking count	Harvest count	Lost	Recorded escapes	EUL #	EUL %
Store Kufjord 15G	468 620	342 853	105 884	0	-19 883	-4,24
Store Kufjord 18G	689 369	586769	79 506	0	23 094	3,35
Store Kufjord 20G	618 856					

Requirements 5.4.2 and 5.4.4

There is no notifiable disease detected at this location.

Danielsvika

Requirement 2.5.6

No lethal incidents of endangered, threatened, or red listed marine mammals or birds.

Requirements 3.1.4 d, e and 3.1.7

Numbers of lice are measured every week according to governmental requirements and lice levels are below the threshold levels set by the FSA (Mattilsynet). The sea lice levels at the location can be followed, week by week, at the net site www.barentswatch.no.

Requirement 3.1.6

Within a radius of 50 km from the location, there are salmonids in the following rivers: Snefjordelva and Hamnelva in Måsøy municipality, Russelvvassdraget, Kvalsundvassdraget and Repparfjordelva/ Skaidivassdraget in Kvalsund municipality and Strandelvvassdraget in Nordkapp municipality.

Norwegian authorities at IMR have not yet published specific counts of lice on fish in the waters of these rivers/waterways.

Requirement 3.4.3 c

EUL value for the latest production cycles were:

Estimated Unexplained Loss (EUL) in recent produced generations - Danielsvika						
Location	Stocking count	Harvest count	Lost	Recorded escapes	EUL #	EUL %
Danielsvika 16G	982 644	857 086	98 222	0	27 336	2,78
Danielsvika 18G	1 363 963	1 044 532	233 105	0	86 328	6,33
Danielsvika 20 G	1 594 841					

Requirements 5.4.2 and 5.4.4

There is no notifiable disease detected at this location.

Store Kobbøy

Requirements 2.5.5 and 2.5.6

No lethal incidents of marine mammals or birds.

Requirements 3.1.4 d, e and 3.1.7

Numbers of lice are measured every week according to governmental requirements and lice levels are below the threshold levels set by the FSA (Mattilsynet). The sea lice levels at the location can be followed, week by week, at the net site www.barentswatch.no.

Requirement 3.1.6

Within a radius of 50 km from the location, there are salmonids in the following rivers: Snefjordelva and Hamnelva in Måsøy municipality, Russelvvassdraget, Kvalsundvassdraget and Repparfjordelva/ Skaidivassdraget in Kvalsund municipality and Strandelvvassdraget in Nordkapp municipality.

Norwegian authorities at IMR have not yet published specific counts of lice on fish in the waters of these rivers/waterways.

Requirement 3.4.3 c

EUL values for the latest production cycles at the site were:

Estimated Unexplained Loss (EUL) in recent produced generations - Store Kobbøy						
Location	Stocking count	Harvest count	Lost	Recorded escapes	EUL #	EUL %
Store Kobbøy 16G	1 006 837	858 750	77 777	0	70 310	6,98
Store Kobbøy 18G	969 692	795 999	125 424	0	48 269	4,98
Store Kobbøy 20G	1 289 189	1 120 150	136 849	0	32 139	2,5

Requirements 5.4.2 and 5.4.4

The site is within an ISA-controlled zone.

Kråkeberget

Requirements 2.5.5 and 2.5.6

No lethal incidents of marine mammals or birds.

Requirements 3.1.4 d, e and 3.1.7

Numbers of lice are measured every week according to governmental requirements and lice levels are below the threshold levels set by the FSA (Mattilsynet). The sea lice levels at the location can be followed, week by week, at the net site www.barentswatch.no.

Requirement 3.1.6

Within a radius of 50 km from the location, there are salmonids in the following rivers: Snefjordelva and Hamnelva in Måsøy municipality, Russelvassdraget, Kvalsundvassdraget and Repparfjordelva/ Skaidivassdraget in Kvalsund municipality and Strandelvassdraget in Nordkapp municipality.

Norwegian authorities at IMR have not yet published specific counts of lice on fish in the waters of these rivers/waterways.

Requirement 3.4.3 c

EUL values for the previous production cycles were:

Estimated Unexplained Loss (EUL) in recent produced generations - Kråkeberget						
Location	Stocking count	Harvest count	Lost	Recorded escapes	EUL #	EUL %
Kråkeberget 16G	631 693	589 692	33 587	0	8 414	1,33
Kråkeberget 18G	700 257	675 907	16 404	0	7 946	1,13
Kråkeberget 20G	1 390 811	1 169 751	182 971	0	38 089	2,74

Requirements 5.4.2 and 5.4.4

The site is within an ISA-controlled zone.

Trælvika

Requirement 2.5.6

No lethal incidents of endangered, threatened, or red listed marine mammals or birds.

Requirements 3.1.4 d, e and 3.1.7

Numbers of lice are measured every week according to governmental requirements and lice levels are below the threshold levels set by the FSA (Mattilsynet). The sea lice levels at the location can be followed, week by week, at the net site www.barentswatch.no.

Requirement 3.1.6

Within a radius of 50 km from the location, there are salmonids in the following rivers: Lakseelva in Senja municipality and Målselvvassdraget in Målselv municipality.

Norwegian authorities at IMR have not yet published specific counts of lice on fish in the waters of these rivers/waterways.

Requirement 3.4.3 c

EUL values for the previous production cycles were:

Estimated Unexplained Loss (EUL) in recent produced generations - Trælvika						
Location	Stocking count	Harvest count	Lost	Recorded escapes	EUL #	EUL %
Trælvika G17	744 827	567 105	159 614	0	18 108	2,43
Trælvika G19	1 257 108	981 934	206 261	0	68 913	5,48
Trælvika G21	918 783					

Requirements 5.4.2 and 5.4.4

There is no notifiable disease detected at this location.

Brensholmen

Requirements 2.5.5 and 2.5.6

No lethal incidents of marine mammals or birds.

Requirements 3.1.4 d, e and 3.1.7

Numbers of lice are measured every week according to governmental requirements and lice levels are below the threshold levels set by the FSA (Mattilsynet). The sea lice levels at the location can be followed, week by week, at the net site www.barentswatch.no.

Requirement 3.1.6

Within a radius of 50 km from the location, there are salmonids in the following rivers:
Lakseelva in Senja municipality and Måselvvassdraget in Måselv municipality.

Norwegian authorities at IMR have not yet published specific counts of lice on fish in the waters of these rivers/waterways.

Requirement 3.4.3 c

The EUL value for previous production cycles were:

Estimated Unexplained Loss (EUL) in recent produced generations - Brensholmen						
Location	Stocking count	Harvest count	Lost	Recorded escapes	EUL #	EUL %
Brensholmen G18	1 252 968	982 214	157 917	0	112 837	9,01
Brensholmen G20	1 142 245	848 670	186 649	0	106 926	9,36

Requirements 5.4.2 and 5.4.4

There is no notifiable viral disease detected at this location.

Finnvika S

Requirement 2.5.6

No lethal incidents of endangered, threatened, or red listed marine mammals or birds.

Requirements 3.1.4 d, e and 3.1.7

Numbers of lice are measured every week according to governmental requirements and lice levels are below the threshold levels set by the FSA (Mattilsynet). The sea lice levels at the location can be followed, week by week, at the net site www.barentswatch.no.

Requirement 3.1.6

Within a radius of 50 km from the location, there are salmonids in the following rivers:
Lakseelva in Senja municipality and Målselvvassdraget in Målselv municipality.

Norwegian authorities at IMR have not yet published specific counts of lice on fish in the waters of these rivers/waterways.

Requirement 3.4.3 c

The EUL values for previous production cycles were:

Estimated Unexplained Loss (EUL) in recent produced generations - Finnvika S						
Location	Stocking count	Harvest count	Lost	Recorded escapes	EUL #	EUL %
Finnvika S G16	286 963	133 896	152 594	0	473	0,16
Finnvika S G18	796 441	711 808	67 123	0	17 510	2,2
Finnvika S G20	699 043	687 118	28 168	0	16 243	2,32

Requirements 5.4.2 and 5.4.4

There is no notifiable viral disease detected at this location.

Baltsfjord

Requirements 2.5.5 and 2.5.6

No lethal incidents of marine mammals or birds.

Requirements 3.1.4 d, e and 3.1.7

Numbers of lice are measured every week according to governmental requirements and lice levels are below the threshold levels set by the FSA (Mattilsynet). The sea lice levels at the location can be followed, week by week, at the net site www.barentswatch.no.

Requirement 3.1.6

Within a radius of 50 km from the location, there are salmonids in the following rivers:
Lakseelva in Senja municipality and Målselvvassdraget in Målselv municipality.

Norwegian authorities at IMR have not yet published specific counts of lice on fish in the waters of these rivers/waterways.

Requirement 3.4.3 c

The EUL values for previous production cycle was:

Estimated Unexplained Loss (EUL) in recent produced generations - Baltsfjord						
Location	Stocking count	Harvest count	Lost	Recorded escapes	EUL #	EUL %
Baltsfjord G16	897 750	714 930	197 622	0	14 802	1,65
Baltsfjord G19	1 665 318	1 378 668	235 114	0	51 436	3,09
Baltsfjord G21	1 269 068					

Requirements 5.4.2 and 5.4.4

There is no notifiable viral disease detected at this location.

Kokelv

Requirement 2.5.6

No lethal incidents of endangered, threatened, or red listed marine mammals or birds.

Requirements 3.1.4 d, e and 3.1.7

Numbers of lice are measured every week according to governmental requirements and lice levels are below the threshold levels set by the FSA (Mattilsynet). The sea lice levels at the location can be followed, week by week, at the net site www.barentswatch.no.

Requirement 3.1.6

Within a radius of 50 km from the location, there are salmonids in the following rivers: Snefjordelva and Hamnelva in Måsøy municipality, Russelvassdraget, Kvalsundvassdraget and Repparfjordelva/ Skaidivassdraget in Kvalsund municipality and Strandelvassdraget in Nordkapp municipality.

Norwegian authorities at IMR have not yet published specific counts of lice on fish in the waters of these rivers/waterways.

Requirement 3.4.3 c

EUL value for previous production cycles were:

Estimated Unexplained Loss (EUL) in recent produced generations - Kokelv						
Location	Stocking count	Harvest count	Lost	Recorded escapes	EUL #	EUL %
Kokelv G16	1 263 707	464 317	764 546	0	34 844	2,76
Kokelv G18	825 921	681 362	101 365	0	43 194	5,23
Kokelv G21	541 478					

Requirements 5.4.2 and 5.4.4

There is no notifiable disease detected at this location.

Korsnes

Requirement 2.5.6

No lethal incidents of endangered, threatened or red listed marine mammals or birds.

Requirements 3.1.4 d, e and 3.1.7

Numbers of lice are measured every week according to governmental requirements and lice levels are below the threshold levels set by the FSA (Mattilsynet). The sea lice levels at the location can be followed, week by week, at the net site www.barentswatch.no.

Requirement 3.1.6

Within a radius of 50 km from the location, there salmonids can occur in the following rivers: Reisavassdraget and Rotsundelva i Nordreisa municipality, Nord-Rekvikelva i Skjervøy municipality, Skipdfjordvassdraget, Vannareidvassdraget, Leirbogelva og Skogfjordvassdraget i Karlsøy municipality, Jægervatnvassdraget i Lyngen municipality, Rakfjordvassdraget, Oldervikelva, Skittenelva, Ringvatnvassdraget og Tønsvikaelva i Troms municipality.

Norwegian authorities at IMR have not yet published specific counts of lice on fish in the waters of these rivers/waterways.

Requirement 3.4.3 c

EUL values for the previous production cycles were:

Estimated Unexplained Loss (EUL) in recent produced generations - Korsnes						
Location	Stocking count	Harvest count	Lost	Recorded escapes	EUL #	EUL %
Korsnes G17	1 179 222	1 013 591	142 012	0	23 619	2,00
Korsnes G20	831 382	683 833	83 434	0	64 115	7,71
Korsnes G22						

Requirements 5.4.2 and 5.4.4

ISA was stated at the site in June 2021 and action was immediately taken together with the authorities and the site was emptied. The site is within an ISA-controlled zone.